

L Number	Hits	Search Text	DB	Time stamp
15	1186	257/536.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 17:21
16	391	257/537.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 17:21
17	318	257/528.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 17:21
18	2494	257/758.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 17:21
19	1744	257/774.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 17:21
20	1886	257/773.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 17:21
21	621	257/776.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 17:21
22	430	257/767.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 17:21
23	1418	257/690.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 17:21
24	1367	257/700.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 17:22
25	403	257/664.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 17:22
26	776	((resistive near3 (via\$1 or trench\$1 or groove\$1 or cavit\$3 or (through adj hole\$1) or trough\$1) and impedance	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 17:22
27	556	((resist\$5) near3 (via\$1 or trench\$1 or groove\$1 or cavit\$3 or (through adj hole\$1) or trough\$1 or aperature\$1 or electrode\$1) ) same (impedance near3 match\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 17:22
-	21017	((resist\$5) near3 (via\$1 or trench\$1 or groove\$1 or cavit\$3 or (through adj hole\$1) or trough\$1 or aperature\$1 or electrode\$1) ) and impedance	USPAT; US-PGPUB	2003/02/06 22:05

-	5332	((resist\$5) near3 (via\$1 or trench\$1 or groove\$1 or cavit\$3 or (through adj hole\$1) or trough\$1 or aperature\$1 or electrode\$1) ) SAME (impedance)	USPAT; US-PGPUB	2003/02/06 22:07
-	4886	((resist\$5) near3 (via\$1 or trench\$1 or groove\$1 or cavit\$3 or (through adj hole\$1) or trough\$1 or aperature\$1 or electrode\$1) ) SAME (impedance)) and (input or output or "I/O")	USPAT; US-PGPUB	2003/02/09 23:59
-	161	((resist\$5) near3 (via\$1 or trench\$1 or groove\$1 or cavit\$3 or (through adj hole\$1) or trough\$1 or aperature\$1 or electrode\$1) ) SAME (impedance)) and 257/\$6.ccls.	USPAT; US-PGPUB	2003/02/06 22:12
-	412	((resist\$5) near3 (via\$1 or trench\$1 or groove\$1 or cavit\$3 or (through adj hole\$1) or trough\$1 or aperature\$1 or electrode\$1) ) same (impedance near3 match\$3)	USPAT; US-PGPUB	2003/12/11 17:22
-	392	((resist\$5) near3 (via\$1 or trench\$1 or groove\$1 or cavit\$3 or (through adj hole\$1) or trough\$1 or aperature\$1 or electrode\$1) ) same (impedance near3 match\$3)) and (input or output or "I/O")	USPAT; US-PGPUB	2003/02/06 22:13
-	12	((resist\$5) near3 (via\$1 or trench\$1 or groove\$1 or cavit\$3 or (through adj hole\$1) or trough\$1 or aperature\$1 or electrode\$1) ) same (impedance near3 match\$3)) and (input or output or "I/O")) and 257/\$6.ccls.	USPAT; US-PGPUB	2003/02/06 22:21
-	380	((resist\$5) near3 (via\$1 or trench\$1 or groove\$1 or cavit\$3 or (through adj hole\$1) or trough\$1 or aperature\$1 or electrode\$1) ) same (impedance near3 match\$3)) and (input or output or "I/O")) not (((resist\$5) near3 (via\$1 or trench\$1 or groove\$1 or cavit\$3 or (through adj hole\$1) or trough\$1 or aperature\$1 or electrode\$1) ) same (impedance near3 match\$3)) and (input or output or "I/O")) and 257/\$6.ccls.)	USPAT; US-PGPUB	2003/02/06 22:21
-	62005	(resist\$5 or (terminating near3 resistor\$1)) near3 (via\$1 or trench\$1 or groove\$1 or cavit\$3 or (through adj hole\$1) or trough\$1 or aperature\$1 or electrode\$1)	EPO; JPC; DERWENT; IBM_TDB	2003/02/06 23:06
-	134	((resist\$5 or (terminating near3 resistor\$1)) near3 (via\$1 or trench\$1 or groove\$1 or cavit\$3 or (through adj hole\$1) or trough\$1 or aperature\$1 or electrode\$1) ) same ((impedance near3 match\$3) or (impedance near3 transformer\$1))	EPO; JPC; DERWENT; IBM_TDB	2003/02/06 23:07
-	92	((resist\$5 or (terminating near3 resistor\$1)) near3 (via\$1 or trench\$1 or groove\$1 or cavit\$3 or (through adj hole\$1) or trough\$1 or aperature\$1 or electrode\$1) ) same ((impedance near3 match\$3) or (impedance near3 transformer\$1))) and (input or output or "I/O")	EPO; JPC; DERWENT; IBM_TDB	2003/02/06 23:19

0	((resist\$5 or (terminating near3 resistor\$1)) near3 (via\$1 or trench\$1 or groove\$1 or cavit\$3 or (through adj hole\$1) or trough\$1 or aperature\$1 or electrode\$1) ) same ((impedance near3 match\$3) or (impedance near3 transformer\$1))) not (((resist\$5 or (terminating near3 resistor\$1)) near3 (via\$1 or trench\$1 or groove\$1 or cavit\$3 or (through adj hole\$1) or trough\$1 or aperature\$1 or electrode\$1) ) same ((impedance near3 match\$3) or (impedance near3 transformer\$1))) and (input or output or "I/O"))	USPAT	2003/02/06 23:20
42	((resist\$5 or (terminating near3 resistor\$1)) near3 (via\$1 or trench\$1 or groove\$1 or cavit\$3 or (through adj hole\$1) or trough\$1 or aperature\$1 or electrode\$1) ) same ((impedance near3 match\$3) or (impedance near3 transformer\$1))) not (((resist\$5 or (terminating near3 resistor\$1)) near3 (via\$1 or trench\$1 or groove\$1 or cavit\$3 or (through adj hole\$1) or trough\$1 or aperature\$1 or electrode\$1) ) same ((impedance near3 match\$3) or (impedance near3 transformer\$1))) and (input or output or "I/O"))	EPO; JPO; DERWENT; IBM_TDB	2003/02/07 17:07
4	((terminating near3 resistor\$1) near3 (via\$1 or trench\$1 or groove\$1 or cavit\$3 or (through adj hole\$1) or trough\$1 or aperature\$1 or electrode\$1) ) same ((impedance near3 match\$3) or (impedance near3 transformer\$1))	USPAT; US-PGPUB	2003/02/06 23:28
146	(terminating near3 resistor\$1) near3 (via\$1 or trench\$1 or groove\$1 or cavit\$3 or (through adj hole\$1) or trough\$1 or aperature\$1 or electrode\$1)	USPAT; US-PGPUB	2003/02/06 23:44
2537	257/774	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/06 23:45
260	257/774 and (resistive or resistor)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/06 23:45
54	(257/774 and (resistive or resistor)) and impedance	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/06 23:46
1	("5164699").PN.	USPAT	2003/02/07 00:58
23	(US-6515324-\$ or US-6005442-\$ or US-3801976-\$ or US-3629740-\$ or US-5559403-\$ or US-6365975-\$ or US-6326677-\$ or US-6239485-\$ or US-6130615-\$ or US-6081026-\$ or US-5497027-\$ or US-5164699-\$.did. or (US-20020070400-\$ or US-20030020502-\$ or US-20020184426-\$ or US-20020048421-\$ or US-20010020548-\$ or US-20030020173-\$.did. or (JP-04171795-\$ or JP-63107128-\$.did. or (JP-03135052-\$ or JP-63107129-\$ or JP-63107128-\$.did.	USPAT; US-PGPUB; JPO; DERWENT	2003/02/07 14:05

-	3	((US-6515324-\$ or US-6005442-\$ or US-3801976-\$ or US-3629740-\$ or US-5559403-\$ or US-6363975-\$ or US-6326677-\$ or US-6239485-\$ or US-6150615-\$ or US-6081026-\$ or US-5497027-\$ or US-5164699-\$).did. or (US-20020070400-\$ or US-20030020502-\$ or US-20020184426-\$ or US-20020048421-\$ or US-20010020548-\$ or US-20030020173-\$).did. or (JP-04171795-\$ or JP-63107128-\$).did. or (JP-03135052-\$ or JP-63107129-\$ or JP-63107128-\$).did.) and pcb	USPAT; US-PGPUB; JPO; DERWENT	2003/02/07 14:03
-	1900	(resistive) near3 (via\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/07 15:03
-	16	(resistive) adj (via\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/10 21:07
-	559	((resistive) near3 (via\$1)) and impedance	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/07 15:04
-	4886	((resist\$5) near3 (via\$1 or trench\$1 or groove\$1 or cavit\$3 or (through adj hole\$1) or trough\$1 or aperature\$1 or electrode\$1) ) SAME (impedance)) and (input or output or "I/O")	USPAT; US-PGPUB	2003/02/10 00:01
-	7	((resist\$5) near3 (via\$1 or trench\$1 or groove\$1 or cavit\$3 or (through adj hole\$1) or trough\$1 or aperature\$1 or electrode\$1) ) SAME (impedance)) and (input or output or "I/O")) and ((resistive or conductive) near5 fill)	USPAT; US-PGPUB	2003/02/10 00:04
-	2485	resistive near3 (via\$1 or trench\$1 or groove\$1 or cavit\$3 or (through adj hole\$1) or trough\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/10 21:05
-	705	(resistive near3 (via\$1 or trench\$1 or groove\$1 or cavit\$3 or (through adj hole\$1) or trough\$1)) and impedance	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 17:22
-	141	(resistive near3 (via\$1 or trench\$1 or groove\$1 or cavit\$3 or (through adj hole\$1) or trough\$1)) same impedance	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/10 00:09
-	1159	257/536.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 17:20
-	385	257/537.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/23 16:13
-	2310	257/758.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/23 16:13

-	287	257/528.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/23 16:14
-	1634	257/774.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/23 16:14
-	1816	257/773.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/23 16:14
-	598	257/776.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/23 16:14
-	412	257/767.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/23 16:14
-	1361	257/690.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/23 16:14
-	1310	257/700.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/23 16:15
-	393	257/664.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/23 16:15
-	9179	(resistive or impedance) near3 (via\$1 or trench\$1 or groove\$1 or cavit\$3 or (through adj hole\$1) or trough\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/10 21:06
-	377	(resistive or impedance) adj (via\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 14:55